


L-FIXTURES

L-Fixtures

Main features & advantages

Car operating Panel
Flush Mounted



Modernization

Car operating Panel
Surface Mounted Mono Block (MB)



07.2009

The L-Fixtures program covers the needs for an elevator in a very extended way with a limited number of versions in order to have a costs optimization. Actually this new fixture is cheaper than the other solutions we had at disposal up to now.

One of its main advantages is the availability of a common design for all the EC directive Codes requests like handicapped, firefighter and vandal proof (class 1).

It can be used in the new installation and modernization market as well.

Product characteristics

- High quality button functionality
- Optimized display visibility
- Accurate mechanical finishing
- Finishing brushed or mirror:
 - _Surface Mono Block (MB)
 - _Surface Zamac Cover (ZC)
 - _Flush clips and screw fixing
- Up to 21 floors
- Mechanical compatibility to MX and MX-Basic fixtures

L-FIXTURES

L-Fixtures

COP elements and indicators

Car operating Panel
Surface Mounted Zamac Cover (ZC)



LCD position and direction indicator:

- _three alphanumeric characters
- _direction arrows indicator with programmable style
- _scrolling arrows for next direction signalization
- _LCD backlight used as emergency light (with LEDs)
- _Commissioning via laptop or MMC

Lamp signalizations

- _lamp overload indicator
- _lamp evacuation travel signalization
- _Telealarm signalizations according EN 81-28
- _Missing car light detector


COP options

- _Integrated voice announcer
- _Telealarm acoustic elements
- _Interface to external card reader
- _Key instead push button
- _Address elements, etc
- _Elevator information on Instruction plate (stainless steel or glass) or on car, indication label (CIL) in car.


COP Indicator




Instruction plate



Acoustic elements



Address Element



Sales

Tel +41 (0)91 756 97 26
Fax +41 (0)91 756 96 95

Help Desk

Tel +41 (0)91 756 97 85
Fax +41 (0)91 756 97 54

L-FIXTURES

L-Fixtures

Landing operating panels

LOP flush mounted



LOP mirror surface mounted



LOP surface mounted Mono Block (MB)



LOP surface mounted Zamac Cover (ZC)




Modernization

L-FIXTURES

L-Fixtures

Landing indicator panels

LIP flush mounted



LIP surface mounted



L-Fixtures available dimensions

| COP | Dimensions |
|--|---|
| Surface Mounted (MB or ZC) | W 160...268 x H 1110 or 1260 mm |
| Flush Mounted (clips or screws fixing) | W 175...278 x H 1100 or 1250 mm |
| Long Surface/flush mounted | W 200...260 x H 1895...2480 mm |
| LOP | |
| Surface Mounted (MB or ZC) | W 75...160 x H 210...405 mm |
| Flush Mounted (clips or screws fixing) | W 65*...160 x H 205...395 mm (*screws fixing W = min. 110cm) |
| Flush Mounted (studs fixing) | W 65...110 x H 205...330 mm |
| LIP | |
| Surface Mounted (MB or ZC) | W 340 x H 95 or 110 mm |
| Flush Mounted (clips or screws fixing) | W 330 x H 85*...128 mm (*screws fixing H = min. 110cm) |
| Flush Mounted (studs fixing) | W 330 x H 85 or 110 mm |

Sales

Tel +41 (0)91 756 97 26
Fax +41 (0)91 756 96 95

Help Desk

Tel +41 (0)91 756 97 85
Fax +41 (0)91 756 97 54